Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1608	(711/214 or 717/151 or 717/152 or 717/146 or 717/148 or 717/141 or 717/142 or 717/143 or 717/144 or 718/104)".clss"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 10:05
L2	338	l1 and ((physical or real or hardware or machine or CPU) with register$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:40
L3	36	l2 and ((class$9 or categor$7 or type$1) with (physical or real or hardware or machine or CPU) with register$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 10:24
L4	74	l2 and ((physical or real or hardware or machine or CPU) with register$1 with (variable$1 or operand$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 10:25
L5	96	l2 and ((physical or real or hardware or machine or CPU) with register$1 with (arithmetic or computation$1 or operation$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 10:17
L6	38	l4 and l5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 10:21
L8	12238	((class$9 or categor$7 or type$1 or select$3 or designat$3) with (physical or real or hardware or machine or CPU) with register$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:40
L9	327	l8 and (intermediate near3 (program$1 or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:17
L10	53	l9 and ((physical or real or hardware or machine or CPU) with register$1 with operand$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 10:26

L11	35	I10 and (operand$1 with (variable$1 or computation$1 or arithmetic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 10:27
L12	25	I11 and (operand$1 with (computation$1 or arithmetic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 10:27
L13	132847	((class$9 or categor$7 or type$1 or select$3 or designat$3) with register$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:17
L14	8207	I13 and (register$1 with operand$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:17
L15	422	I14 and (intermediate near3 (program$1 or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:17
L16	221	I15 and (operand$1 with (variable$1 or arithmetic))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:18
L17	170	I16 and (operand$1 with arithmetic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:21
L18	6	I17 and I1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:18
L19	160	I17 and ((physical or real or hardware or machine or CPU) with register$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:21
L20	151	I17 and ((physical or real or hardware or machine or CPU) near4 register$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:21

L21	0	I20 and (register$1 with us$3 with (current adj2 operation$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:23
L22	144	I20 and (register$1 near3 used)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:23
L23	8	I22 and (register$1 near3 live)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:25
L24	9	I22 and (register$1 with live)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:25
L25	1344	mark$3 with register$1 with (used or busy or live)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:30
L26	446	I25 and ((physical or real or hardware or machine or CPU) with register$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:31
L27	103	I26 and (register$1 with operand$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:31
L28	1	I27 and (operand$1 with intermediate with (program$1 or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:28
L29	8	I27 and (intermediate near3 (program$1 or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:31
L30	1454	mark$3 with register$1 with (used or busy or live or idle or dead)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:40

L31	95	I30 same ((physical or real or hardware or machine or CPU) with register$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:31
L32	16	I31 and (register$1 with operand$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:39
L33	1	I32 and (intermediate near3 (program$1 or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:31
L34	654	(712/217)".clss"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:39
L35	389	I34 and ((physical or real or hardware or machine or CPU) with register$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:40
L36	101	I35 and ((class$9 or categor$7 or type$1 or select$3 or designat$3) with (physical or real or hardware or machine or CPU) with register$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:40
L37	5	I36 and (mark$3 with register$1 with (used or busy or live or idle or dead))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:43
L38	2	I36 and (intermediate near5 (program$1 or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:42
L39	34	I36 and compiler$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:42
L40	2	I39 and (mark$3 with register$1 with (used or busy or live or idle or dead))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 11:43

S1	2702	(711/214 or 717/151 or 717/152 or 717/146 or 717/148 or 717/141 or 717/142 or 717/143 or 717/144 or 718/104)".clss"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:02
S2	158	S1 and ((translat$3 or convert$3) with source with intermediate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:05
S3	42	S2 and (register$1 with operand$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:04
S4	24	S3 and (((machine with readable) or executable) with code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:06
S5	20	S4 and (optimiz$5 with intermediate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:14
S8	381	S1 and ((physical or real or hardware) with register$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/03 10:05
S9	5	S5 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:19
S10	23	S1 and (operand$1 with (real or physical) with register$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:20
S11	1	S10 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:20
S12	2	S10 and S2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:21

S13	2177	(translat$3 or convert$3) with source with intermediate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:08
S14	112178	(select$3 or choos$3 or chose$1 or assign$4 or designat$3) with register$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:07
S15	6596	(stor$3 or sav$3 or writ$3) with operand$1 with register$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:07
S16	200	S13 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:08
S17	46	S16 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:08
S18	298	S15 same ((real or physical) near3 register$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:13
S19	2	S17 and S18	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:09
S20	2	S18 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:13
S21	266	S15 same ((real or physical) near2 register$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:18
S22	217	S15 same ((real or physical) adj1 register$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:18

S23	105	S15 with ((real or physical) adj1 register$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:35
S24	2	S23 and S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:19
S25	4	S23 and (compil$3 with source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 10:20
S26	67	("4782444").URPN.	USPAT	OR	OFF	2004/12/03 10:45
S27	19	S26 and ((real or physical$2) with register$1)	USPAT	OR	OFF	2004/12/03 10:46
S28	19	(US-20030079210-$).did. or (US-6651247-$ or US-6549930-$ or US-6516405-$ or US-6513109-$ or US-6292935-$ or US-6081880-$ or US-5724590-$ or US-6738967-$ or US-5261062-$ or US-5418958-$ or US-5530866-$ or US-5659754-$ or US-5890000-$ or US-5901317-$ or US-5946491-$ or US-5987259-$ or US-6009272-$ or US-6090156-$).did.	US-PGPUB; USPAT	OR	OFF	2004/12/03 11:58
S29	13	S28 and (source adj2 (file$1 or code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 11:59
S30	12	S29 and (intermediate adj3 (code or represent$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 12:00
S31	11	S30 and ((machine or executable) adj3 code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 12:00
S32	11	S31 and optimiz$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 12:01

S33	9	S31 and (optimiz$6 with intermediate)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 12:01
S34	6	S33 and operands	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 12:02
S35	6	S34 and ((physical or real or hardware) with register$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/03 12:02
S36	1608	(711/214 or 717/151 or 717/152 or 717/146 or 717/148 or 717/141 or 717/142 or 717/143 or 717/144 or 718/104)".clss"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 15:59
S37	231	S36 and ((physical or real or hardware) with register$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 16:02
S38	47	S37 and ((select$3 or designat$3 or assign$4 or choos$3 or chos$2) with (physical or real or hardware) with register$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 16:01
S39	6	S38 and (register$1 with operand$1 with (variable$1 or computation$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/01 16:02